

**Bid Document**

| <b>Bid Details</b>                                     |   |
|--|---|
| Bid End Date/Time                                      | 03-02-2020 17:00:00   |
| Bid Life Cycle (From Publish Date)                     | 90 (Days)   |
| Bid Offer Validity (From End Date)                     | 50 (Days)   |
| Ministry/State Name                                    | Ministry Of Statistics And Programme Implementation   |
| Department Name  | Na  |
| Organisation Name                                      | N/a   |
| Office Name  | Indian Statistical Institute Kolkata  |
| Total Quantity   | 1   |
| Item Category  | Multifunction Machines MFM  |
| MSE Exemption For Years Of Experience And Turnover     | Yes   |
| Startup Exemption For Years Of Experience And Turnover | Yes   |
| Document required from seller                          | OEM Authorization Certificate<br>*In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer |
| Bid to RA enabled                                      | No  |

**EMD Detail**

|          |    |
|----------|----|
| Required | No |
|----------|----|

**ePBG Detail**

|          |    |
|----------|----|
| Required | No |
|----------|----|

**Splitting**

Bid splitting not applied.

**Multifunction Machines MFM ( 1 pieces )**

**Technical Specifications**

\* As per GeM Category Specification

| Specification                      | Specification Name   | Values                | Bid Requirement (Allowed Values)   |
|------------------------------------|--|-----------------------|--|
| Ungrouped                          | <b>Print Technology</b>  | Laser                 | Laser  |
|                                    | <b>Type of Machine</b>   | Multifunction Machine | Multifunction Machine  |
|                                    | <b>Type of Printing</b>  | Mono                  | Mono, Colour   |
|                                    | <b>Cartridge Technology</b>  | Composite Cartridge   | Composite Cartridge, Separate Drum and Toner (Mono Component), Separate Drum and Toner (Dual Component) Or higher                              |
|                                    | Developer Unit   | No                    | *  |
|                                    | <b>Platen/Flatbed Size</b>   | A4                    | A4, A3, Legal Or higher  |
|                                    | <b>Paper Size (Original/Image)</b>                                     | Legal/Legal           | Legal/Legal  |
|                                    | <b>RAM size (MB)</b>   | 512                   | 128, 256, 512, 1024, 2048, 4096, 6144, 3072, 320, 768, 1536, 1500, 758, 1250, 2560, 7168, 5120, 8192, 16384, 2816, 4000, 2000, 10240 Or higher |
|                                    | <b>Hard Disk Capacity(GB)</b>  | 0                     | *  |
|                                    | <b>Minimum Speed per Minute as per ISO/IEC 24734 in A4 Size-Mono</b>   | 38                    | 38, 40, 43, 45, 46, 47, 50, 52, 55, 60, 61, 65, 70, 71, 75, 80, 90, 95, 100, 105, 110, 51, 56, 41, 120, 130, 160, 57, 85, 81 Or higher         |
|                                    | <b>Minimum Speed per Minute as per ISO/IEC 24734 in A4 Size-Colour</b> | 0                     | *  |
|                                    | Minimum Speed per Minute as per ISO/IEC 24734 in A3 Size-Mono          | 0                     | *  |
|                                    | Minimum Speed per Minute as per ISO/IEC 24734 in A3 Size-Colour        | 0                     | *  |
|                                    | <b>Scanning Feature Availability</b>                                   | Yes                   | Yes Or higher  |
|                                    | <b>Duplexing Feature Availability</b>                                  | Yes                   | Yes Or higher  |
| <b>Faxing Feature Availability</b> | Yes  | Yes, No Or higher     |  |

|  |                      |                         |
|--|----------------------|-------------------------|
| Speed of Fax, If Fax Feature is available  | 33.6 kbps            | *                       |
| <b>Networking Feature Availability</b>   | Yes                  | Yes Or higher           |
| If yes, Type of Network Interface  | Ethernet 10/100/1000 | *                       |
| <b>Wi-Fi Availability</b>  | Yes                  | Yes, No Or higher       |
| If yes,Wi-Fi Type  | Wi fi 802.11 b/g/n   | *                       |
| <b>Original Document Feeder Type</b>   | DADF/RADF            | DADF/RADF Or higher     |
| Feeder Capacity (Number)   | 50                   | *                       |
| <b>Number of Main Paper Tray</b>   | 1                    | 1, 2, 3, 4, 5 Or higher |
| Each Main Paper Tray Capacity (Number)   | 250                  | *                       |
| <b>Bypass Facility</b>   | Yes                  | Yes, No Or higher       |
| If Yes, Bypass Tray Capacity   | 100                  | *                       |
| Yield of the cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19798/2007(E) for Cyan colour (Number of prints)    | 0                    | *                       |
| Yield of the cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19798/2007(E) for Yellow colour (Number of prints)  | 0                    | *                       |
| Yield of the cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19798/2007(E) for Magenta colour (Number of prints) | 0                    | *                       |
| Yield of the cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19752/2004(E) for Black (Number of prints)          | 3100                 | *                       |
| Life of Drum in terms of number of Prints in   | 0                    | *                       |

|  |       |                   |
|--|-------|-------------------|
| case of Separate Drum and Toner cartridge technology - Cyan (Number of Prints)   |       |                   |
| Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology - Yellow (Number of Prints)  | 0     | *                 |
| Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology - Magenta (Number of Prints) | 0     | *                 |
| Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology - Black (Number of Prints)   | 0     | *                 |
| Duty Cycle (No of Prints/month)  | 80000 | *                 |
| Minimum Operating Temperature (Degree C)   | 15    | *                 |
| Maximum Operating Temperature (Degree C)   | 32    | *                 |
| Minimum Operating Humidity (%RH)   | 10    | *                 |
| Maximum Operating Humidity (%RH)   | 80    | *                 |
| BIS Registration under CRS of Meity  | Yes   | *                 |
| BIS Registration Number  | -     | *                 |
| Other Certifications Available   | UL,CE | *                 |
| Dimension (mm x mm x mm)   | -     | *                 |
| Weight (Kg)  | -     | *                 |
| <b>On Site OEM Warranty (Year)</b>   | 3     | 3, 4, 5 Or higher |

\* Specifications highlighted in bold are the Golden Parameters.

\* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

## Additional Specification Documents

### Consignees/Reporting Officer and Quantity

| S.No. | Consignee/Reporting Officer | Address   | Quantity | Delivery Days |
|-------|-----------------------------|---|----------|---------------|
| 1     | Mohammed Zafar Anis         | 700108, Indian Statistical Institute Kolkata 203 B T Road, Kolkata - 700108 | 1        | 30            |

### Bid Specific Additional Terms and Conditions

1. IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.
2. Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 3 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG). Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imburse the cost of such service / rectification to the Buyer.
3. Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.
4. Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.
5. Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.
6. Scope of supply (Bid price to include all cost components) : Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)

[This Bid is also governed by the General Terms and Conditions](#)

**---Thank You---**